




Choose a Database:

## webstate Schema listing

As of: 04/16/01

### Legend:

	Key Fields
	Indexed field
	Word Indexed field









### Sequences:

### Tables:

[Setting](#) [WebHit](#) [WebSession](#) [WebSessionAttribute](#) [WebSurfer](#) [WebSurferAttribute](#)

### Setting

Contains settings and permissions for the application

		AccountID	X(40)	Account Identification to which this record applies - (2)
		IDType	X(8)	Type of ID that AccountID refers to: Account, Group, or All - (3)
		SettingType	X(20)	Type of setting this record is. In other words, the portion or aspect of the program that this setting falls into. - (4)
		SettingName	X(40)	Name of the specific setting to which this record applies. - (5)
		SettingValue	X(256)	The actual value of the setting - (6)
		ViewLevel	99999	Security Level a user must have before being allowed to view this record. - (7)
		ChangeLevel	99999	Security Level a user must have before being allowed to change this record. - (8)
		SettingDesc	X(1000)	Description of what this setting does - (9)
		add-dt	99/99/9999	Date record was added - (10)
		add-time	99999	Time this record was added - (11)
		add-userid	X(30)	User ID of the person who added this record. - (12)
		chg-dt	99/99/9999	Date record was changed - (13)
		chg-time	99999	Time this record was added - (14)
		chg-userid	X(30)	User ID of the person who last changed this record. - (15)
		zz-char1	X(8)	Extra field - (16)
		zz-char2	X(8)	Extra Field - (17)
		zz-char3	X(8)	Extra field - (18)
		zz-log1	yes/no	Extra field - (25)
		zz-log2	yes/no	Extra field - (26)
		zz-log3	yes/no	Extra field - (27)
		zz-dec1	->>, >>9.99	Extra field - (19)
		zz-dec2	->>, >>9.99	Extra field - (20)
		zz-dec3	->>, >>9.99	Extra field - (21)
		zz-int1	X(8)	Extra field - (22)
		zz-int2	X(8)	Extra field - (23)
		zz-int3	X(8)	Extra field - (24)

### Setting Indices:






---

**SettingPU**    AccountID   IDType   SettingType   SettingName  
**TypeName\_I**   SettingType   SettingName  
**Type\_I**        IDType   SettingType

**WebHit**

One record for each web hit within a web session

---

	WebSessionID	X(40)	- (2)
	WebHitID	ZZZZZ9	- (3)
	QueryString	X(256)	- (4)
	RequestMethod	X(4)	- (5)
	CurrRowID	X(20)	- (6)
	WebState	X(20)	- (7)
	PrevWebHitID	ZZZZZ9	- (8)
	CurrRecValues_1	X(1000)	- (9)
	CurrRecValues_2	X(1000)	- (10)
	CurrRecValues_3	X(1000)	- (11)
	ObjectRun	X(20)	The name of the object that was run on this hit - (12)
	HitTime	->,>>>,>>9	When this hit occurred - (13)
	HitDate	99/99/9999	Date on which this hit occurred - (14)
	HitReferrer	X(80)	The HTTP_Referred CGI variable for the start of this session - (15)
	HitCookies	X(70)	Contents of HTTP_Cookie variable - (16)
	LogNote	X(70)	Any sort of note pertaining to this hit, just so that we can analyze the hit report and better troubleshoot errors. - (17)
	zz-char1	X(8)	Extra field - (18)
	zz-char2	X(8)	Extra Field - (19)
	zz-char3	X(8)	Extra field - (20)
	zz-int1	X(8)	Extra field - (24)
	zz-int2	X(8)	Extra field - (25)
	zz-int3	X(8)	Extra field - (26)
	zz-log1	yes/no	Extra field - (27)
	zz-log2	yes/no	Extra field - (28)
	zz-log3	yes/no	Extra field - (29)
	zz-dec1	->>,>>9.99	Extra field - (21)
	zz-dec2	->>,>>9.99	Extra field - (22)
	zz-dec3	->>,>>9.99	Extra field - (23)

**WebHit Indices:**








---

<b>DateTime_I</b>	HitDate HitTime
<b>ObjectRun_I</b>	ObjectRun
<b>WebHitPU</b>	WebSessionID WebHitID

**WebSession**

One record for each session over the web.



---

	WebSessionID	X(40)	- (2)
	WebUser	X(40)	- (3)
	RemoteAddr	X(40)	- (4)
	WebHitCount	->,>>>,>>9	- (5)
	StartDate	99/99/99	- (6)
	LastName	99/99/99	- (7)
	StartTime	->,>>>,>>9	- (8)
	LastTime	->,>>>,>>9	- (9)
	WebUserGroup	X(15)	Group to which the user of this websession belongs - (10)
	SessionData1	X(60)	Any extra text data associated with the session - (11)
	SessionData2	X(60)	Any extra text data associated with the session - (12)
	SessionReferrer	X(80)	The HTTP_Referrer CGI variable for the start of this session - (13)
	SessionActive	yes/no	Whether or not the session is still active and can receive hits. - (14)
	CookiesEnabled	yes/no	Whether or not the user is allowing cookies to be set and returned to the server. Yes in this field indicates that the user has definitely not allowed our cookie to be set and returned. No means that we have not detected a lack of a cookie. - (15)
	SessionUserAgent	X(40)	The type and version of browser the individual is using to surf the web. - (16)
	zz-char1	X(8)	Extra field - (17)
	zz-char2	X(8)	Extra Field - (18)
	zz-char3	X(8)	Extra field - (19)
	zz-int1	X(8)	Extra field - (23)
	zz-int2	X(8)	Extra field - (24)
	zz-int3	X(8)	Extra field - (25)
	zz-log1	yes/no	Extra field - (26)
	zz-log2	yes/no	Extra field - (27)
	zz-log3	yes/no	Extra field - (28)
	zz-dec1	->,>,>9.99	Extra field - (20)
	zz-dec2	->,>,>9.99	Extra field - (21)
	zz-dec3	->,>,>9.99	Extra field - (22)
	ScreenHeight	>>>>9	height of the user's screen - (29)
	ScreenWidth	>>>>9	Width of the user's screen (in pixels) - (30)
	WinHeight	>>>>9	Height of the user's browser window in pixels - (31)
	WinWidth	->,>>>,>>9	Width of the user's browser window (in pixels) - (32)
	WebSurferID	x(28)	Unique ID of this WebSurfer (internally generated by the system) - (33)
	SurferVerified	yes/no	Whether or not the WebSurfer of this session is positively verified - (34)

**WebSession Indices:****LastDateTime** LastDate LastTime**SessionActive\_I** SessionActive**StartDateTime** StartDate StartTime**WebSessionPU** WebSessionID

**WebSessionAttribute**

Attributes of the WebSession


 WebSessionID	X(40)	ID of the session to which this attribute belongs. - (22)
add-dt	99/99/9999	Date record was added - (3)
add-time	999999	Time this record was added - (4)
chg-dt	99/99/9999	Date record was changed - (7)
chg-time	999999	Time this record was added - (8)
chg-userid	X(30)	User ID of the person who last changed this record. - (9)
zz-char1	X(8)	Extra field - (10)
zz-char2	X(8)	Extra Field - (11)
zz-char3	X(8)	Extra field - (12)
zz-int1	X(8)	Extra field - (16)
zz-int2	X(8)	Extra field - (17)
zz-int3	X(8)	Extra field - (18)
zz-log1	yes/no	Extra field - (19)
zz-log2	yes/no	Extra field - (20)
zz-log3	yes/no	Extra field - (21)
zz-dec1	->>, >>9.99	Extra field - (13)
zz-dec2	->>, >>9.99	Extra field - (14)
zz-dec3	->>, >>9.99	Extra field - (15)
add-userid	X(30)	User ID of the person who added this record. - (5)
 AttributeName	x(60)	Name of the attribute - (2)
AttributeValue	x(256)	The actual value of the attribute (the textual representation of it) - (6)

**WebSessionAttribute Indices:**

SessionAttribute WebSessionID AttributeName

**WebSurfer**

The master record for the profile of an individual at large who has at least one but possibly many webSessions.

 WebSurferID	x(28)	Unique ID of this WebSurfer (internally generated by the system) - (2)
CurrentWebSessionID	x(22)	The WebSessionID of the WebSession currently or most recently in use. - (3)
lastWebSessionID	x(22)	WebSessionID of the websession prior to the current one. - (4)
LoginID	x(35)	User-chosen ID for logging in to the secure part of the profile. - (5)
Password	X(30)	Unencrypted password that the user has chosen to access this profile - (6)
add-dt	99/99/9999	Date record was added - (7)
add-time	999999	Time this record was added - (8)
chg-dt	99/99/9999	Date record was changed - (10)
chg-time	999999	Time this record was added - (11)
chg-userid	X(30)	User ID of the person who last changed this record. - (12)
zz-char1	X(8)	Extra field - (13)
zz-char2	X(8)	Extra Field - (14)
zz-char3	X(8)	Extra field - (15)
zz-int1	X(8)	Extra field - (19)
zz-int2	X(8)	Extra field - (20)
zz-int3	X(8)	Extra field - (21)
zz-log1	yes/no	Extra field - (22)
zz-log2	yes/no	Extra field - (23)
zz-log3	yes/no	Extra field - (24)
zz-dec1	->>, >>9.99	Extra field - (16)
zz-dec2	->>, >>9.99	Extra field - (17)
zz-dec3	->>, >>9.99	Extra field - (18)
add-userid	X(30)	User ID of the person who added this record. - (9)




**WebSurfer Indices:**

SurferID WebSurferID

**WebSurferAttribute**

Attributes of individual WebSurfers

---

 WebSurferID	x(28)	Unique ID of this WebSurfer to which this attribute belongs - (8)
add-dt	99/99/9999	Date record was added - (2)
add-time	99999	Time this record was added - (3)
chg-dt	99/99/9999	Date record was changed - (5)
chg-time	99999	Time this record was added - (6)
chg-userid	X(30)	User ID of the person who last changed this record. - (7)
zz-char1	X(8)	Extra field - (9)
zz-char2	X(8)	Extra Field - (10)
zz-char3	X(8)	Extra field - (11)
zz-int1	X(8)	Extra field - (15)
zz-int2	X(8)	Extra field - (16)
zz-int3	X(8)	Extra field - (17)
zz-log1	yes/no	Extra field - (18)
zz-log2	yes/no	Extra field - (19)
zz-log3	yes/no	Extra field - (20)
zz-dec1	->>, >>9.99	Extra field - (12)
zz-dec2	->>, >>9.99	Extra field - (13)
zz-dec3	->>, >>9.99	Extra field - (14)
add-userid	X(30)	User ID of the person who added this record. - (4)
 AttributeName	x(60)	Name of the attribute - (21)
 AttributeValue	x(256)	The actual value of the attribute (the textual representation of it) - (22)
ExpireDate	99/99/9999	Date after which this attribute should be deleted or ignored. - (23)
IsPrivate	yes/no	Whether or not the user must be explicitly logged in to retrieve this - (24)

**WebSurferAttribute Indices:****AttributeSurfer**    AttributeName    WebSurferID**AttributeValueWI**    AttributeValue**SurferAttribute**    WebSurferID    AttributeName